

AMENDMENTS TO THE CLAIMS

1-29 (Cancelled)

30. (Currently Amended) A machine implemented method for managing language translation, comprising the steps of:

scheduling content in a first language for translation by crawling a web site via following links to additional pages;

parsing the content in the [[a]] first language into one or more translatable components;
generating an identifier associated with each of the translatable components;
adding the one or more translatable components and associated identifiers to a translation list; and

storing a translated component, produced by translating a corresponding translatable component in the translation list, and an associated identifier for the translated component.

31. (Previously presented) The method according to claim 30, wherein each of the translatable components is one of:

a text segment;

an image file;

an audio clip;

a video clip;

a file; and

any combination thereof in an electronic data stream.

32. (Previously presented) The method according to claim 30, wherein the identifier for a text segment is generated using at least one of a hash code, a checksum, and a mathematical algorithm based on one or more text segments.

33. (Previously presented) The method according to claim 30, further comprising the step of providing the one or more translatable components and identifiers thereof to a human party for translating the one or more translatable components into the second language.

34. (Previously presented) The method according to claim 30, wherein:

the first language includes one of English, French, Spanish, German, Portuguese, Italian, Chinese, Korean, and Arabic;

the second language includes one of English, French, Spanish, German, Portuguese, Italian, Japanese, Chinese, Korean, and Arabic; and

the second language is different from the first language.

35. (Previously presented) The method according to claim 30, wherein the content in the first language includes text that is not displayed as part of the content in the first language and that is subject to translation.

36. (Previously presented) The method according to claim 30, wherein if the content in the first language is formatted, at least some formatting information contained in the content in the first language is included in at least one translated component to preserve the format of the content in the first language.

37. (Previously presented) The method according to claim 30, further comprising the step of previewing, on a graphical user interface, a rendition of at least one translated component by displaying each of the translated components within formatted content in the first language.

38. (Previously presented) The method according to claim 37, wherein the step of previewing further comprises displaying, on the graphical user interface, at least one of the translatable components.

39. (Previously presented) The method according to claim 38, further comprising at least one of:

highlighting the at least one of the translatable components that does not have a corresponding translated component in a first scheme; and

highlighting the at least one of the translated components in a second scheme different from the first scheme.

40. (Previously presented) The method according to claim 37, further comprising the steps of:

facilitating selection of a translated component;

simultaneously displaying, on the graphical user interface, a corresponding translatable component and the selected translated component.

41. (Previously presented) The method according to claim 37, further comprising the steps of:

facilitating selection of a translated component previewed;

facilitating editing of the selected translated component to produce an updated translated component;

storing the updated translated component with a corresponding identifier for the translated component.

42. (Previously presented) The method according to claim 37, further comprising the steps of:

displaying a reference to a file contained in the content in the first language;

facilitating selection of the reference to the file; and

accessing the file when the reference is selected.

43. (Previously presented) The method according to claim 37, wherein the step of previewing is performed in a multi-user environment, in which more than one rendition of at least some of the translated components can be previewed at the same time.

44. (Previously presented) The method according to claim 30, wherein the content in the first language is web content containing at least one markup tag.

45. (Currently Amended) A system for managing language translation, comprising:

a content accessing unit configured to enable access to content in a first language;

an information processing unit configured for:

(a) scheduling content in a first language for translation by crawling a web site via following links to additional pages;

[[(a)] (b) parsing the content in the first language into one or more translatable components,

[[(b)] (c) generating an identifier associated with each of the translatable components, and

[[[c)]] (d) adding the one or more translatable components and associated identifiers to a translation list; and

storage for a translated component, produced by translating a corresponding translatable component in the translation list, and an associated identifier for the translated component.

46. (Previously presented) The system according to claim 45, wherein each of the translatable components is one of:

a text segment;

an image file;

an audio clip;

a video clip;

a file; and

any combination thereof in an electronic data stream.

47. (Previously presented) The system according to claim 46, wherein the identifier for a text segment is generated using at least one of a hash code, a checksum, and a mathematical algorithm based on one or more text segments.

48. (Previously presented) The system according to claim 45, further comprising the step of providing the one or more translatable components and identifiers thereof to a human party for translating the one or more translatable components into the second language.

49. (Previously presented) The system according to claim 45, wherein:

the first language includes one of English, French, Spanish, German, Portuguese, Italian, Chinese, Korean, and Arabic;

the second language includes one of English, French, Spanish, German, Portuguese, Italian, Japanese, Chinese, Korean, and Arabic; and

the second language is different from the first language.

50. (Currently Amended) A machine readable medium having data stored thereon, the data, once read, causing the following:

scheduling content in a first language for translation by crawling a web site via following links to additional pages;

parsing the content in [[a]] the first language into one or more translatable components;

generating an identifier associated with each of the translatable components;

adding the one or more translatable components and associated identifiers to a translation list; and

storing a translated component, produced by translating a corresponding translatable component in the translation list, and an associated identifier for the translated component.

51. (Currently Amended) A machine implemented method for managing language translation, comprising the steps of:

obtaining information related to a first content in a first language;

accessing the first content by crawling a web site via following links to additional pages;

parsing the first content into one or more translatable components;

generating one or more translated components based on a human translation of the one or more translatable components; and

storing the one or more translated components in association with the one or more translatable components.

52. (Previously presented) The method according to claim 51, further comprising the step of generating an identifier for each of the translatable components, wherein the storing step includes storing an identifier in association with a corresponding translated component.

53. (Previously presented) The method according to claim 51, further comprising the steps of:

displaying, on a graphical user interface, the one or more translatable components; and
displaying, on the graphical user interface, one or more files linked from the first content.

54. (Previously presented) The method according to claim 51, further comprising the steps of:

displaying the one or more translatable components on a graphical user interface;
facilitating selection of a string of characters from the displayed one or more translatable components;
searching for a text segment that matches the selected string of characters; and
displaying the text segment.

55. (Previously presented) The method according to claim 54, wherein the step of searching is performed via a fuzzy match.

56. (Previously presented) The method according to claim 51, further comprising the steps of:

receiving a specification of the first content;
adding the specification to a request list;
arranging the request list based on a pre-determined priority.

57. (Previously presented) The method according to claim 56, wherein the specification of the first content is a Universal Resource Locator (URL).

58. (Previously presented) The method according to claim 51, wherein the step of parsing is performed based on one or more markup tags contained in the first content.

Please add the following new claims:

59. (New) A machine implemented method for managing language translation, comprising the steps of:

scheduling content in a first language for translation by storing content intercepted from a web server providing the content to a user browsing a web site;

parsing the content in the first language into one or more translatable components;

generating an identifier associated with each of the translatable components;

adding the one or more translatable components and associated identifiers to a translation list; and

storing a translated component, produced by translating a corresponding translatable component in the translation list, and an associated identifier for the translated component.

60. (New) A system for managing language translation, comprising:

a content accessing unit configured to enable access to content in a first language;

an information processing unit configured for:

(a) scheduling content in a first language for translation by storing content intercepted from a web server providing the content to a user browsing a web site;

(b) parsing the content in the first language into one or more translatable components,

(c) generating an identifier associated with each of the translatable components,
and

(d) adding the one or more translatable components and associated identifiers to a translation list; and

storage for a translated component, produced by translating a corresponding translatable component in the translation list, and an associated identifier for the translated component.

61. (New) A machine readable medium having data stored thereon, the data, once read, causing the following:

scheduling content in a first language for translation by storing content intercepted from a web server providing the content to a user browsing a web site;

parsing the content in the first language into one or more translatable components;

generating an identifier associated with each of the translatable components;

adding the one or more translatable components and associated identifiers to a translation list; and

storing a translated component, produced by translating a corresponding translatable component in the translation list, and an associated identifier for the translated component.

62. (New) A machine implemented method for managing language translation, comprising the steps of:

obtaining information related to a first content in a first language;

accessing the first content by storing content intercepted from a web server providing the content to a user browsing a web site;

parsing the first content into one or more translatable components;

generating one or more translated components based on a human translation of the one or more translatable components; and

storing the one or more translated components in association with the one or more translatable components.

63. (New) The method of claims 59, 60, 61, or 62, wherein the content in the first language is intercepted directly from the web server on-the-fly while the web server provides the content to the user.